Data for the SOMs (i.e., indicator/numerator/ denominator) will be entered annually by the state.

Table 1. National Outcome Measures - National Performance Measures Linkage

NPM "	National Performance Measure (NPM)	National Outcome Measures
#		Associated with National Performance Measure
1	Well-woman visit (Percent of women with a past year preventive medical visit)	Severe maternal morbidity per 10,000 delivery hospitalizations
		Maternal mortality rate per 100,000 live births
		Low birth weight rate (%)
		Very low birth weight rate (%)
		Moderately low birth weight rate (%)
		Preterm birth rate (%)
		Early preterm birth rate (%)
		Late preterm birth rate (%)
		Early term birth rate (%)
		Infant mortality per 1,000 live births
		Perinatal mortality per 1,000 live births plus fetal deaths
		Neonatal mortality per 1,000 live births
		Postneonatal mortality rate per 1,000 live births
		Preterm-related mortality per 100,000 live births
2	Low risk cesarean deliveries (Percent of cesarean deliveries among low-risk first births)	Severe maternal morbidity per 10,000 delivery hospitalizations
		Maternal mortality rate per 100,000 live births
3	Perinatal regionalization (Percent of very low birth weight (VLBW) infants born in a hospital with a	Infant mortality per 1,000 live births
	Level III+ Neonatal Intensive Care Unit (NICU))	Perinatal mortality per 1,000 live births plus fetal deaths
		Neonatal mortality per 1,000 live births
		Preterm-related mortality per 100,000 live births
	I	l

NPM "	National Performance Measure (NPM)	National Outcome Measures
#		Associated with National Performance Measure
4	Breastfeeding (A. Percent of infants who are ever breastfed and B. Percent of infants breastfed exclusively through 6 months)	Infant mortality rate per 1,000 live births
		Postneonatal mortality rate per 1,000 live births
		Sleep-related SUID per 100,000 live births
5	Safe sleep (Percent of infants placed to sleep on their backs)	Infant mortality per 1,000 live births
		Post neonatal mortality per 1,000 live births
		Sleep-related SUID per 100,000 live births
6	Developmental screening (Percent of children, ages 10 through 71 months, receiving a developmental screening using a parent-completed screening tool)	Percent of children in excellent or very good health
		Percent of children meeting the criteria developed for school readiness
7	Child Injury (Rate of hospitalization for non-fatal injury per 100,000 children ages 0 through 9 and adolescents ages 10 through 19	Child mortality ages 1 through 9 per 100,000
		Adolescent mortality ages 10 through 19 per 100,000
		Adolescent motor vehicle mortality ages 15 through 19 per 100,000
		Adolescent suicide ages 15 through 19 per 100,000
8	Physical activity (Percent of children ages 6 through 11 and adolescents ages 12 through 17 who are	Percent of children in excellent or very good health
	physically active at least 60 minutes per day)	Percent of children and adolescents who are
		overweight or obese (BMI at or above the 85th percentile)
9	Bullying (Percent of adolescents, 12 through 17, who are bullied or who bully others)	Adolescent mortality ages 10 through 19 per 100,000
	who are builled or who buily others)	Adolescent suicide ages 15 through 19 per 100,000
10	Adolescent well-visit (Percent of adolescents, ages 12 through 17, with a preventive medical visit in the past year)	Percent of children in excellent or very good health
		Percent of children ages 6 months through 17 years who are vaccinated annually against seasonal influenza
		Percent of adolescents, ages 13 through 17, who have received at least one dose of the HPV vaccine
		Percent of adolescents, ages 13 through 17, who have received at least one dose of the Tdap vaccine
		Percent of adolescents, ages 13 through 17, who have received at least one dose of the meningococcal conjugate vaccine
		Adolescent mortality ages 10 through 19 per 100,000

NPM	National Performance Measure (NPM)	National Outcome Measures
#		Associated with National Performance Measure
		Adolescent motor vehicle mortality ages 15 through 19 per 100,000
		Adolescent suicide ages 15 through 19 per 100,000
		Percent of children with mental/behavioral health condition who receive treatment or counseling
		Percent of adolescents who are overweight or obese (BMI at or above the 85th percentile)
		Severe maternal morbidity per 10,000 delivery hospitalizations
		Maternal mortality rate per 100,000 live births
		Low birth weight rate (%)
		Very low birth weight rate (%)
		Moderately low birth weight rate (%)
		Preterm birth rate (%)
		Early preterm birth rate (%)
		Late preterm birth rate (%)
		Early term birth rate (%)
		Infant mortality per 1,000 live births
		Perinatal mortality per 1,000 live births plus fetal deaths
		Neonatal mortality per 1,000 live births
		Postneonatal mortality rate per 1,000 live births
		Preterm-related mortality per 100,000 live births
11	Medical home (Percent of children with and without special health care needs having a medical home)	Percent of children with special health care needs (CSHCN) receiving care in a well-functioning system
		Percent of children in excellent or very good health
		Percent of children ages 19 through 35 months, who have received the 4:3:1:3(4):3:1 :4 combined series of routine vaccinations
		Percent of children, ages 6 months through 17 years, who are vaccinated annually against seasonal influenza
		Percent of adolescents, ages 13 through 17, who have

NPM "	National Performance Measure (NPM)	National Outcome Measures
#		Associated with National Performance Measure
		received at least one dose of the HPV vaccine
		Percent of adolescents, ages 13 through 17, who have received at least one dose of the Tdap vaccine
		Percent of adolescents, ages 13 through 17, who have received at least one dose of the meningococcal conjugate vaccine
12	Transition (Percent of adolescents with and without special health care needs who received services	Percent of children with special health care needs (CSHCN) receiving care in a well-functioning system
	necessary to make transitions to adult health care)	
		Percent of children in excellent or very good health
13	Oral health (A. Percent of women who had a dental visit during pregnancy and B. Percent of children,	Percent of children in excellent or very good health
	ages 1 through 17, who had a preventive dental visit	Percent of children ages 1 through 17 who have decayed teeth or cavities in the past 12 months
	in the past year)	decayed teeth of cavities in the past 12 months
14	Smoking during Pregnancy and Household Smoking (A. Percent of women who smoke during pregnancy	Severe maternal morbidity per 10,000 delivery hospitalizations
	and B. Percent of children who live in households where someone smokes)	Maternal mortality rate per 100,000 live births
		Low birth weight rate (%)
		Very low birth weight rate (%)
		Moderately low birth weight rate (%)
		Preterm birth rate (%)
		Early preterm birth rate (%)
		Late preterm birth rate (%)
		Early term birth rate (%)
		Infant mortality per 1,000 live births
		Perinatal mortality per 1,000 live births plus fetal deaths
		Neonatal mortality per 1,000 live births
		Preterm-related mortality per 100,000 live births
		Post neonatal mortality per 1,000 live births

NPM #	National Performance Measure (NPM)	National Outcome Measures Associated with National Performance Measure
		Sleep-related SUID per 100,000 live births Percent of children in excellent or very good health
15	Adequate insurance coverage (Percent of children ages 0 through 17 who are adequately insured)	Percent of children without health insurance Systems of care for children with special health care needs (Percent of children and youth with special health care needs (CYSHCN) receiving care in a well-functioning system)